



ney's Docket No.: 08215-441001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Sami SHEMTOV

Art Unit: 2833

Serial No. : 09/884,038

Examiner: Unknown

Filed : June 20, 2001

Title : EMT RAINLIGHT COMPRESSION FITTINGS

Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Responsive to the Notice to File Corrected Application Papers mailed August 13, 2001 (a copy of which is enclosed), applicant as a large entity submits herewith the following:

☒ Transmittal of Drawings (10 sheets).

It is understood that this perfects the application and no additional papers or filing fees are required.

Please apply any other charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date:

August 22, 2001

William D. Hare

William D. Hare

Reg. No. 44,739


Fish & Richardson P.C.
601 Thirteenth Street, NW
Washington, DC 20005
Telephone: (202) 783-5070
Facsimile: (202) 783-2331



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/884,038	06/20/2001	Sami Shemtov	08215-441001



JOHN F. HAYDEN
Fish & Richardson P.C.
601 Thirteenth Street, NW
Washington, DC 20005

CONFIRMATION NO. 2717

FORMALITIES LETTER



OC000000006418619

Date Mailed: 08/13/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

AJ
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



Attorney's Docket 06215-441001 / CHM-026125

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Sami SHEMTOV
Serial No. : 09/884,038
Filed : June 20, 2001
Title : EMT RAINTIGHT COMPRESSION FITTINGS

Art Unit : 2833
Examiner : Unknown

#3
Drawing
Chubb
10-20-01

Attention: Official Draftsman
Commissioner for Patents
Washington, D.C. 20231

TRANSMITTAL OF DRAWINGS

Please substitute the enclosed 10 sheets of drawings for the corresponding drawings presently in the application.

Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date:

August 22, 2001

William D. Hare

William D. Hare
Reg. No. 44,739

Fish & Richardson P.C.
601 Thirteenth Street, NW
Washington, DC 20005
Telephone: (202) 783-5070
Facsimile: (202) 783-2331

40066390.doc

40066390.doc